

**CERTIFICATE OF CONFORMITY OF THE  
 FACTORY PRODUCTION CONTROL  
 0502-CPR-10133**

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate of conformity applies to the construction product

**Wood-Based Panels for use in construction**

Plywood characterised as

Classification	Formaldehyde emission	Thickness range
EN 636-1 S	E1	9mm - 50 mm
EN 636-2 S	E1	9mm - 50 mm
EN 636-3 S	E1	9mm - 50 mm

- Woodspecies:
  - Okoumé
  - Naga
  - Sapeli

- Reaction to fire, class according to EN 13501-1:

	Min. Density Kg/m3	Min. Thickness mm	class excl. Flooring	Class flooring
Plywood	400	9	D-s2, d0	Dfl-s1

Intended use:

**For structural elements in internal or external applications in construction**

produced by or for  
**F.A. Mourikis S.A.**

and produced in the manufacturing plant(s)

**Kalamaki**  
**200 03 KORINTHOS**  
**GREECE**  
**Tel. +30 27 41 04 83 22**  
**Fax +30 27 41 04 89 66**  
**E-mail: info@mourikis.gr**  
**Website: http://www.mourikis.gr**

This certificate of conformity attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13986:2004+A1:2015**


under system 2+ are applied and that

**the factory production control fulfills  
 all the prescribed requirements set out above**

This certificate of conformity was first issued on **1 January 2015** and remains valid from **1 January 2019** till **1 January 2020** as long as the ETA remains valid and the manufacturing conditions in the plant or the factory production control itself are not modified significantly.

On behalf of SKH:

drs. H.J.O. van Doorn  
 Director



Date: **1 January 2019**

Supersedes version: **1 January 2018**

Reproduction of the complete certificate is allowed  
 Chamber of Commerce Arnhem 09190347

The certificate and all copies shall be returned  
 to SKH immediately on request

